



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION III

841 Chestnut Building  
Philadelphia, Pennsylvania 19107

Mr. Robert Lesko, Chairman  
Foster Township Board of Supervisors  
1000 Wyoming Street  
P.O. Box 465  
Freeland, PA 18224

MAY 12 1989

Re: C & D Recycling Superfund Site  
Davis field; Offsite soil samples

Dear Mr. Lesko:

Thank you very much for providing the map of the Davis property which is situated adjacent to the C & D Recycling site. As you will note, we have marked on this map the approximate location of the soil samples obtained and analyzed during the Remedial Investigation activities at C & D.

We have received AT & T's proposal for additional soil sampling at the C & D site, and will complete our review of this material by May 30, 1989. Upon EPA's approval of the scope for additional on and offsite soil sampling, I will forward detailed information to you. For your information, at this time it appears that at least four additional soil samples will be collected from the field adjacent to C & D (Davis field). We will be happy to provide the Township with the analytical results from this sampling, and to keep you and the community informed of the decision-making process involved with selecting an appropriate remedy for the conditions at the C & D site.

Thank you for communicating the Township's concerns to EPA, and for sharing the zoning map with us. We look forward to the successful completion of the Remedial Investigation at the C & D site, and to continuing the relationship which we have formed with you. We apologize for the delay in returning this map to you, and hope that this did not cause you any inconvenience.

Our Public Affairs officer, Mr. Harold Yates will be in contact with you in the near future regarding plans for a Public Meeting for the Foster Township community. Please feel free to contact me at (215) 597-1101 if you have any questions or concerns. Thank you for your time.

Sincerely,

*Donna M. McCartney*

Donna M. McCartney (3HW12)  
Project Manager

Enclosure

AR501065